

HONSUN 鸿新新能源						HXXJ-Q-QPJS-016			
			/	A3		3		1	6
		/			/	/	/		

A3

2023.7.22

TTV/

						HXKJ-Q-QPJS-016	
	/	A3		3		2	6

4.1

4.2

5.1

100-200

	A	A-	B	C
TTV	2 um	um	50um	80um
δ- 30um	1 um	um	30um	60um



D 90 ± 0.15⁰ 90 ± 0.15⁰ 90 ± 0.2⁰ 90 ± 0.3⁰ 002H0D0

HONSUN 鸿新新能源						HXKJ-Q-QPJS-016	
	/	A3		3		3	6

			0.5mm	5	10
					1/4

5.2

5.2.1



1 *1

	A	A-	B	C
A	182 ± 0. 5mm	182 ± 0. 5mm	182 ± 0.5mm	182 ± 1mm
B	247 ± 0.25mm	247 ± 0.25mm	247 ± 0.5mm	247 ± 1mm
C	7.51 ± 0. mm	7.51 ± 0.5mm	7.51 ± 0.5mm	7.51 ± 1 mm

182. *182.

	A	A-	B	C
A	182. ± 0. 5mm	182. ± 0. 5mm	182. ± 0.5mm	182. ± 1mm
B	247 ± 0.25mm	247 ± 0.25mm	247 ± 0.5mm	247 ± 1mm
C	7. ± 0. mm	7. ± 0.5mm	7. ± 0.5 mm	7.51 ± 1 mm

182*183.75

 鸿新新能源						HXKJ-Q-QPJS-016	
	/	A3		3		4	6

	A	A-	B	C
--	---	----	---	---

182 ± 0.25mm 182 ± 0.25mm

A 183.75 ± 0.25mm

HONSUN 鸿新新能源						HXKJ-Q-QPJS-016	
	/	A3		3		6	6

2100-2400				1			
6-7				LOGO LOGO 受控文件			
5.5.2				LOGO			
5.6							
5.7				:			
5.7.1							